



This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

Indirizzo	China Guangdong PVD Metallizer Co. Guangdong Zhenhua Technology Yungui road, Zhaoqing Avenue West Block. Zhaoqing, Guangdong, China 526000 Zhaoqing
Nazione	Repubblica Popolare Cinese

PRODOTTI O MACCHINARI

Horizontal continuous production line for VIP vacuum insulated panel

Our company produces various models of production line for vacuum insulated panel (VIP) as per customers technical requirements, enabling to meet their actual demands. Model XF2000-V/S production line for VIP/STP vacuum insulated panel with structure of the world's first horizontal continuous production line, with features of stable good quality and high efficiency, is an exclusive one in the world and it can achieve the capacity of 8 pieces per minute of VIP/STP panels sized 600X400X65mm. (Specifications of VIP/STP panels can be made as per customers specific demands and requirements. Maximum VIP/STP panel size 1500mmX2000mmX55mm.). Vacuum insulated panel (referred to as VIP in short form) is a newly developed efficient insulation material in recent years with very low thermal conductivity. Its structure consists of 3 parts as insulation material in the core, gas collecting material called Getter and membrane walls used to prevent air from entering the panel called Barrier. It is made by the principle of vacuum insulated panel, one of the vacuum insulation material with low thermal conductivity and excellent properties of thermal insulation and environmental insulation material in the most of the vacuum insulation material with low thermal conductivity and excellent properties of thermal insulation and environmental protection, is currently the world's most efficient insulation products. It is a perfect substitute for traditional insulation material and products, extensively used in refrigerators, freezers, water heaters, refrigerated containers, building materials for facades or exterior walls. Its thermal conductivity can be achieved less than 1.5mw/m.k.

Company Profile of China Guangdong PVD Metallizer Co.

A service of glassglobal.com, an affiliate of glassglobal group.

Il materiale informativo del sito è registrato ed appartiene all'azienda o ai terzi che lo hanno fornito e tutti i diritti sono riservati. Qualsiasi utente che accede a tale materiale può farlo solo ad uso personale e ne è anche responsabile. Ridistribuzione o altro uso commerciale di tale materiale è espressamente proibito. Nel caso in cui il materiale sia stato ceduto da terzi, l'utente concorda di rispettare questi termini di utilizzo specificati. Glass Global non garantisce la veridicità o l'esattezza del contenuto di alcuna informazione o di siti web esterni menzionati nelle stesse.www.glassglobal.com - The International Portal to the Glass Industry - OGIS GmbH